

AMENDMENT OF SOLICITATION MODIFICATION OF CONTRACT

1a.	1b. Effective Date	3. Issued By	
2a.	2b. Dated		
4.		For Information, Contact:	
		4b. Name:	4c. Phone:
		4d. Email:	
5.			
6.			
7a. Name and Title of Authorized Signer <i>(type or print)</i>		8a. Name and Title of Contracting Officer <i>(type or print)</i>	
7b.	7c. Date Signed	8b. U.S. House of Representatives	8c. Date Signed
<hr/> <i>(Authorized Signature)</i>		<hr/> <i>(Signature of Contracting Officer)</i>	

Vendor Questions and Answers

Vendor Questions and Answers RFP OAM16038S

1. Can teaming with a packaged office contract be used for the bid response?

Answer: That is the decision of the Offeror.

2. Should the quote include the entire suite or only items with black hash marks through them?

Answer: Only the items with the black hash marks.

3. The following typical drawings were provided in the package, however, they are not requested in the pricing matrix. Are we to provide a price and drawing? If so, where do you want the prices on the matrix?

- a. RE-2
- b. RE-3
- c. WS-1S
- d. WS-2
- e. WS-3
- f. WS-4
- g. WS-6
- h. WS-7T
- i. CR-1T
- j. CR-2T
- k. RT-1T
- l. MP-1
- m. CR-1
- n. CR-2

Answer: We will be removing the typicals. A revised pricing matrix will be sent in an amendment.

4. RE-1 typical drawing indicates Transitional, however, the price matrix specifies Traditional. Should RE-1 be transitional or traditional?

Answer: Provide pricing per the matrix. RE-1 is traditional, RE-1T is transitional.

5. Can the panels be attached to the wall?

Answer: AoC Clarification required. We would recommend no.

6. Based on the Suite plans, the window section of the panels may be against the wall.

Answer: Will be adjusted during the design phase.

7. What is the difference between WS-1 and WS-1S?

Answer: WS-1 has a curved work surface corner. WS1S has a straight 90 degree corner.

8. What is the difference between WS-2 and WS-2S?

Answer: see answer to # 7.

9. What is the difference between WS-3 and WS-3S?

Answer: see answer to # 7

10. What size should be quoted for WS-6?

Answer: 60"W x 24"D

11. RT-1T-If you want a price, what size is it? Is it traditional or transitional style?

Answer: - There is no RT-1T.

12. Price Matrix for "All Phases" has line 3 and 6 without a tag reference. What tag should line 3 and 6 be?

Answer: BC- 3 and HTS. See typical sheets in RFP.

13. The price matrix asks that we price T1 as a 36" dia. and a 42" dia. Will the matrix be updated to allow for two prices to be submitted?

Answer: Price separately we will add another line in pricing sheet.

14. Please confirm that T1 should have a disc style metal base as indicated in the price matrix?

Answer: No metal disc. Transitional leg preferred.

15. What is the difference between RE-4 and PO-1? Both appear to be the same size double pedestal desk.

Answer: They are the same unit.

16. PO-2T and PO-1T in the price matrix request a transitional option, however, the description is contradictory to transitional by requiring "raised molding". Can confirmation be provided as to which style the PO-2T and PO-1T should be quoted?

Answer: The pricing sheet will be consolidated to include all phases on one sheet.

17. The price matrix is asking for an RE-1T to be quoted, however, we do not have a typical drawing. Can one be provided?

Answer: The pricing sheet will be updated.

18. Page 8, Section d. work surfaces, #10 and #11 ask the bidders to provide options for the corner unit and for sit/stand. Are you requiring a quote and drawing? If so, where do you want it noted in the price matrix?

Answer: WS-6 will be added to the pricing matrix.

19. Page 8, Section b, number 6. There seems to be a large requirement for data cabling capacity. The specified data capacity requirements are typical requirements for groups or agencies whose primary mission is technology based. There is a higher cost associated with

additional double channel raceways. Please verify, the requirements are needed within a legislative environment.

Answer: Requirement will remain as is.

20. Page 11, Section e, Occasional tables request both transitional and traditional options. Are you requiring a quote and drawing? If so, where do you want the prices noted in the price matrix?

Answer: Transitional leg table only.

21. Page 10, C.3.2.1 Section a, #1, requires a veneer and HPL option quote. The price matrix does not have a section for the options. Please provide a revised price matrix.

Answer: Price veneer only

22. The pre-proposal Conference and Walk thru may drive more questions. Can the date to submit questions be extended?

Answer: Yes they must be submitted by 4:00PM July 9, 2016 via email to james.tiani@mail.house.gov.

23. Should a bidder be selected for the Pilot program, how much time will they be given to manufacturer, ship, deliver, and install the product?

Answer: 8-10 weeks minimum.

24. Will you accept non-tiled panels which provide better acoustics than tiled panels?

Answer: Not all systems have to be paneled but all panel systems must be tiled.

25. PO-2: Would a return width of 50" acceptable?

Answer: No

26. HTO: Would a hutch span of the desk only (either 66" or 72") be acceptable?

Answer: The hutch will span the length of the desk and needs to be interchangeable with spanning the desk and return.

27. RE-1: Would reception station of 80" x 80" be acceptable?

Answer: No

28. PO-2T: Would a return width of 50" acceptable?

Answer: No

29. HTO-T: Would a hutch span of the desk only (either 66" or 72") be acceptable?

Answer: refer to answer to # 26

30. RE-1T: Would reception station of 80" x 80" be acceptable?

Answer: No

31. Based on section H.9, Buy American section. Please confirm if we can submit our furniture line INSCAPE which is manufactured in Canada?

Answer: The clause is quite specific, “goods and equipment hereunder shall be of growth and manufacture of the United States etc...”. NO

32. At this time we only have one question. In the event of award, will the furniture provided for the pilot program be purchased by the House and incorporated into Phase I of the project?

Answer: See 6 e of Bailment Agreement.

33. Please clarify the spreadsheet typical tag column and how they correlate with the typical drawing tags. This occurs on all 12 phase spreadsheet sheets. A few of them don't match. For example:

a. RE-1

b. RE-1T- no typical drawing to reference?

Answer: The pricing sheet will be updated.

As a follow up to the questions submitted earlier, we need clarification on WS-6 and WS-7T. We noticed that specs are not listed for these.

Answer: WS-7T will be removed, WS-6 will be added.

34. Please clarify if holding discounting through-out all phases of this project is expected/required.

Answer: This is the Offerors decision.

35. **Please Clarify the option year 1 and 2 spreadsheet and what it entails.**

a. Is the option 1: first full year 2018?

b. Is the option 2: second full year 2020?

Answer: See Section F1 and F.2 of RFP.

36. Please clarify which panels in the WS-1 & WS-5 Typical are to be powered & provide the number of duplex receptacles required per workstation.

Answer: Power should be in the panels that house the overheads. 3 duplexes per station.

37. T-1 Table – please clarify whether this table should be veneer or laminate finish; if veneer, please provide the edge detail preferred.

Answer: Veneer. Edged TBD

38. Please confirm that pricing is to be based on the suite layout provided on Attachment 2 (Typical Pricing) and is to include only those items marked with item codes and hash marked?

Answer: Refer to answer to # 2

39. Please confirm that no pricing is to be included for items not shown in the Suite Drawings and marked with item codes?

Answer: Correct.

40. Please clarify if the keyboards shown in the Suite Drawings are to be included with the pricing? If so, please provide specifications.

Answer: No keyboard trays

41. Will AutoCAD drawings be available for the Suites? If no drawings are to be provided, please advise dimension of T-1(36" or 42" Diameter).

Answer: Yes AutoCAD files will be provided to the awardee of the contract.

42. Please confirm that the height of panels in WS-1 & WS-5 which are provided in the Typical Suite Plans are to be between 65"- 69"H?

Answer: Correct

43. The chair requirements noted in the RFP calls for a synchronized tilt control and or tilt-tension adjustment. However, weight activated mechanisms are more common because they remove much of the complexity involved with adjusting the chair. Weight-activated chairs allow for personalization by the user (in terms of seat height, seat depth, lumbar support, and arm support), but will allow the seat and the back to recline in a way that promotes a healthy synchronicity between the torso and the lower body. A weight-activated control will have less levers and knobs, which will be less intimidating to the user and allow them to test out the controls and how they work. We have seen that if there are too many controls, people will not adjust their chairs because they are intimidated by the "unknown". We respectfully request adding "Weight activated mechanisms" as an option to this requirement.

Answer: There are no weight restrictions on weight activated mechanisms.

44. Page 9 notes Eased Edges for Transaction Counters – Please confirm that a standard ABS edge is acceptable?

Answer: No erased edge.

45. Attachment J.1 Pricing - In the description for the Transitional items it states with raised molding details. Is it acceptable if the product line does not have raised molding details?

Answer: Will be revised in pricing sheet.

46. What is included in "Option One" and "Option Two" in the "All Phases" J.1 Attachment?

Answer: All the items.

47. In the "All Phases" Attachment J.1 are we to price the WS-1 and the WS-5 as individual?

Answer: Yes

48. In Attachment J.1 Phase One – it calls for the WS-5 to be 48”-66” wide. Are we to price all widths available within the 48”-66”?
Answer: Follow pricing sheet 24”D x 66”W
49. Can we get a CAD file?
Answer: see answer to question #41.
50. PG 18 b. - Payment for Non Performance- This clause is extremely difficult for a dealer to accept, as issues impacting performance of the manufacturer could impact dealer performance, are you open to an alternate non-performance clause.
Answer: No
51. PG 27 H.6 – Excusable Delays- This clause is extremely difficult for a dealer to accept, as issues impacting performance of the manufacturer could impact dealer performance, are you open to an alternate non-performance clause.
Answer: No
52. Does the customer want all Phases delivered in a one-month time frame as stated on Page 6 section c.3? or is each phase 2 years in length.
Answer: As identified on page 6 of the RFP.
53. C.3.2.1c3 – Solid drawer fronts only available from one Manufacturer. As an alternated in following industry standard would a veneer front be an acceptable alternate?
Answer: Yes
54. To meet specifications for certain items, can we simply modification a GSA schedule item to meet CHOB specifications and it still be considered a GSA schedule item. Any items modified would be priced at same terms and conditions as the GSA Schedule item.
Answer: We did not specify that GSA specification are required.
55. C.3.2.1 Specifications c. 3 - The bid states Drawer fronts must be a solid wood, are veneer drawer fronts acceptable?
Answer: see answer to # 53
56. Could you please confirm whether or not product submissions for bid response must be from the GSA contract? Can proposal offers use commercial pricing?
Answer: This is a full and open competition.

ADDITIONAL QUESTIONS AFTER WALK-THROUGH OF 6-8-2016

1. **Section D. page 13.item C** – stated hours of the U.S. Capitol Police Off-Site Deliver Center are 5:00 a.m. to 7:00 p.m.

Q - Approximately how long does it take for a delivery truck to get through the security check-point and are these hours acceptable for the furniture delivery and installation as well?

Answer: This time varies depending on how many trucks could be waiting at the facility, 30 minutes to an hour+. Hours are accurate for the offsite facility.

2. Delivery and Installation Timeframe – on the Bill of Materials, there is an aggressive anticipated office quantity and timeframe for each installation phase.

Q - Does this schedule take into consideration issues that would negatively impact delivery/installation progress like other trades working in close proximity, multiple security checkpoints, holidays, shared elevator access? At the very least, for installation expediency, would it be possible to get truck and personnel security authorization in advance, by installation phase, to minimize the amount of time necessary for the furniture to get through the security checkpoint?

Answer: Not likely, a delivery time can be scheduled for on campus receiving, however it would be very hard to schedule internal access solely for this process. To my knowledge the Capitol Police checkpoint does not schedule their inspection, trucks are scanned as they arrive, in that order.

3. Will all participants have to be US citizens, or are legal residents OK if they've been cleared?

Answer: All Temporary contracting employees will go through Capitol Police vetting process, which includes fingerprinting, background check and a check on immigration status.

4. Will a tractor trailer be permitted onto the C Street side for off-loading?

Answer: They have in the past, yes. Keep in mind, this is a garage entrance that is shared with incoming and outgoing traffic, not really an ideal situation for unloading. Weather can have impacts as well.

5. Will we be able to reserve a spot?

Answer: Since this is a specific requirement it will have to be scheduled and arranged through the Capitol Police.

6. Can we lock off the freight if we give them specific times that it will be needed?

Answer: Yes, however it will need to be scheduled 2 weeks in advance with dates and times for each operation. Certain times/dates may not be approved or will require rescheduling depending on other operations in the building which use the freight elevator. Please keep in mind daily operations standard furniture deliveries and mail deliveries must continue. It would be best to schedule these early in the AM.

7. On Page 8, section b item 10 it states that “data outlet plate shall be provided by the furniture manufacturer”. Does that mean the cutout in the tile where the data port will go, or the actual faceplate in which the data will be terminated (something usually provided by the data/IT contractor)?

Answer: The IT contractor will provide the actual faceplate. The furniture vendor will provide the cut out for the face plate to attach to.

8. T-1 – For the Traditional round conference table, is a traditional wood pedestal base acceptable instead of a metal disc base? (ie: Queen Anne or Federal style base)
Answer: Yes, this will be updated on the matrix
9. T-2 – End table: Standard height for an end table is approx. 21” H, you are asking for 26-28” H. Please confirm that a 21” height is acceptable for the end table.
Answer: Standard end table height is fine.
10. PO-1T – Please confirm pedestals required for this double pedestal desk. (i.e.: box/box/file – file/file, or box/box/file – box/box/file)?
Answer: See C.3.2.1.c.1
11. PO-1T, PO-2T, RE-1T, BC-3T, BC-5T, CF-2, CF-3 – 3-D Drawings show base and beltline molding – is this required for the transitional units? Would it be acceptable to have the base molding only? Please confirm.
Answer: Molding is not required on Transitional units
12. PO-1T, PO-2T, RE-1T – Requirement calls for both “period style” and “modern” hardware for the transitional units and under the General Product Description calls for “Transitional style using similar finishes but more modern surface edge details and hardware details”. Please confirm that modern hardware is acceptable. The 3-D views also show a modern bar style.
Answer: Yes
13. BC-3, BC-5 – Are the Traditional bookcases going to be ganged together or are they stand alone?
Answer: Both
14. CS-2, CS-3 – Please confirm thickness of conference table tops. Also please advise if we should quote in laminate or veneer, or both?
Answer: Listed under C.3.2.1.a.1
15. RE-2 – This item is not on the RFP. There is however a drawing for this. Is this unit required? If this is required, is the top panel portion with glass specifically required?
Answer: Matrix will be updated
16. WS-6 – This item is not on the RFP? There is however a drawing for this? Is this unit required? If this unit is required, what type of height adjustable base is this, electric, manual or pneumatic? Veneer or laminate top?
Answer: D.10 requests a sit to stand work surface, 60”W x 24”D, please follow work surface guidelines. Please price all three adjustable base types if they are available.
17. WS-7T, CR-1T, CR-2T, RT-1T, MP-1, CR-1, CR-2, RE-3 - There are numerous drawings that were included with the package, but are not on the RFP? Are these units required?

Answer: Only items on matrix are required; Matrix will be updated

Revised

- Table of Contents
- Section B, Section C, Section J, and Section L

TABLE OF CONTENTS

SECTION B:	Supplies or Services and Pricing
B.1	Pricing Schedule
SECTION C	Description of Supplies and Services
C.1	Description/Specifications/Scope of Services
SECTION D	Packaging and Marking
D.1	Payment of Postage and Fees
D.2	Packaging and Marking
SECTION E	Inspection and Acceptance
E.1	Inspection
E.2	Acceptance
E.3	Title / Transfer / Risk of Loss
SECTION F	Deliveries or Performance
F.1	Period of Performance
F.2	Option to Extend Term of the Contract
F.3	Place of Performance
F.4	Notice to the House of Delays
F.5	Suspension and Disbarment
F.6	Payment for Non-Performance
SECTION G	Contract Administration
G.1	Authorized House Representatives
G.2	Authorized Contractor Representative
G.3	Delegation of Authority
G.4	Post Award Conference
G.5	Invoices
G.6	Remittance Address
G.7	Reports / Plans / Schedules
G.8	Contract Status and Review Meetings
G.9	Resolving Contract Performance Issues
G.10	Disputes
G.11	Modifications
G.12	Terminations
G.13	Release of Claims
SECTION H	Standard Contract Clauses
H.1	Contract Type
H.2	Availability of Funds
H.3	System for Award Management
H.4	Insurance
H.5	Federal Tort Claims Act
H.6	Excusable Delays
H.7	Warranty
H.8	Substitutions
H.9	Buy American
H.10	Most Favored Customer Pricing
H.11	House Rules and Regulations
H.12	Compliance with Laws
H.13	House Information
H.14	Non-Disclosure Agreement
H.15	Protection of Contractor Proprietary Data

H.16	Examination and Audit
H.17	Limitation of Liability and Indemnification
H.18	Non-Exclusivity of Rights and Remedies
H.19	Flow down and Subcontractors
H.20	E-Verify
H.21	Background Checks
H.22	Identification Badges
H.23	Key Personnel
H.24	Authorized Use by Other Legislative Entities
H.25	Covenant Against Gratuities
H.26	Conflicts of Interest
H.27	Advertising / Promotional Materials
H.28	Incidental Services, Travel and Other Expenses
H.29	Severability
H.30	Assignment
H.31	Order of Precedence
H.32	Safety Awareness
H.33	Waiver of Rights
H.34	Privacy and Confidentiality
SECTION I	Special Contract Clauses
I.1-14	Not Applicable
I.15	Quality Assurance Surveillance Plan
I.16	Vendor Performance Evaluation
SECTION J	List of Documents, Exhibits and Other Attachments
J.1	Pricing Sheets
J.2	Typical Suite Pricing
J.3	Typical Layouts
J.4	Off Site Delivery Instructions
J.5	Non-Disclosure Agreement
J.6	Employment Eligibility Verification Form
J.7	Bailment Agreement
J.8	Enlarged Furniture Images
J.9	Modular Pieces by Phase
SECTION K	Representations, Certifications and Other Statements of Offerors
K.1	Financial Information
K.2	Insurance Information
K.3	Company Background and Identifying Information
K.4	Quality Assurance Information
K.5	Responsibility Certification
K.6	Certification of Independent Price Determination
K.7	Authorized Company Officials
K.8	Organizational Conflicts of Interests
K.9	Buy American Act Certification
K.10	General Services Administration Schedule Contract or Government-Wide Acquisition Contract Certification
K.11	System for Award Management
K.12	Signature
K.13	Bailment Agreement
SECTION L	Instructions, Conditions and Notices to Bidders
L.1	Contents of Proposals
L.2	Submissions
L.3	Late Submissions and Revision of Proposals
L.4	Acknowledgement of Amendments to Solicitations
L.5	Information Distribution and Contacts

L.6	Restriction on Disclosure and Use of Data
SECTION M	Evaluation Factors for Award
M.1	Evaluation Factors for Award
M.2	Basis for Award
M.3	Contract Award

Draft Solicitation	Document No.: OAM M16038S	Document Title: Cannon Renewal Modular Furniture	Page 5
---------------------------	----------------------------------	---	-----------------

SECTION B – SUPPLIES OR SERVICES AND PRICING

B.1. PRICING SCHEDULE (Attachments referenced are in Section J.1) **Note revisions to attachments.**

a. Attachment **J.1 Pricing Workbook Includes: Phase 1, Phase 2, Phase 3, Phase 4, All phases, Design and Installation and Option 1 & 2. This is to be completed and inserted in File 1 of your proposal.**

Product Pricing

- Phases 1, 2, 3 and 4: complete column B.
- All phases: complete column A.
- Design and installation: complete columns C, D, E, F, G and H
- Option 1 & 2: complete columns A & B

Design and Layout Pricing (additional information)

- Design / Layout: In the Member's Office, the design layout is to include the reception area, the Chief of Staff Office and Staff workstations.
- Installation cost is to reflect:
 - Installation cost for one Member's Office including the reception area, the Chief of Staff Office, and the Staff workstations.
 - Installation cost per phase:

~~b. Attachment J.2 Typical Suite Pricing Sheet (Excel Worksheet) to be completed and inserted in Administrative and Pricing proposal~~

End of Section B

SECTION C – DESCRIPTIONS/SPECIFICATIONS/SCOPE OF SERVICES

C.1 BACKGROUND

The United States House of Representatives (House), Office of the Chief Administrative Officer (CAO), is issuing this solicitation pursuant to the *Guidelines for Procurement of Goods and Services for the U.S. House of Representatives (Procurement Guidelines)*. The *Procurement Guidelines* are available on the House website, www.house.gov, Doing Business with the House, under Additional Resources. Procurements by the House are not governed by the Federal Acquisition Regulation (FAR) or other procurement statutes, regulations and policies applicable to the federal executive branch, except where specifically stated in this solicitation or applicable law. The terms and conditions contained in this solicitation will be incorporated into any contract(s) awarded as a result of this solicitation.

Currently, the House is involved in the efforts to support the renovation of the Cannon House Office Building (CHOB) with the Architect of the Capitol as the lead. **The CHOB is the oldest Congressional office building outside of the Capitol Building and is in need of a complete renewal, a.k.a. “Cannon Renewal Project.”** The building has not received a comprehensive systems upgrade since the 1930s, and many of the building's systems are original – dating back to 1908 or earlier. The systems are past the end of their useful lives and the increasing risk of their failure jeopardizes the building's long-term functionality and safety. Other necessary work includes upgrading infrastructure systems and repairing the exterior stone façade. As part of this effort, the CAO will be responsible for those services that fall within its scope of services which encompasses the provision of furniture systems.

C.2 OBJECTIVE

The purpose of this solicitation and any contract resulting there from is to enter into a contractual relationship with one contractor to provide, coordinate and install modular furniture for the Cannon Renewal Project.

C.3 DESCRIPTION OF WORK

The scope of this requirement entails the procurement of functional, quality, sustainable furnishings that are the best value to the House. Furniture includes predominantly modular furniture with the option of ancillary furniture such as case goods, chairs, and mats.

The total estimated number of system workstations for the Cannon Renewal project is 1,851(see chart below).

Project Schedule: Time estimate is subject to change:

Phase #	Installation Period	Estimated Number of Workstations
1	9/15/2018 to 10/15/2018	514
2	9/15/2020 to 10/15/ 2020	397
3	9/15/2022 to 10/15/2022	533
4	9/15/ 2024 to 10/15/ 2024	407
	TOTAL	1851

C.3.1 SYSTEMS FURNITURE

a. General Information

This section includes procurement, delivery and installation of various types of systems furniture and performance requirements including, but not limited to the following:

- Structural Panels
- Technology Power, Data & Communications
- Cable Management
- Work Surface

Draft Solicitation	Document No.: OAM M16038S	Document Title: Cannon Renewal Modular Furniture	Page 7
---------------------------	----------------------------------	---	-----------------

- Standing workstations options
- Workstation Personal Storage
- Accessories
- Keying

b. General Product Description

Systems furniture includes office furniture which can be reconfigured from a kit of parts and generally includes interconnecting structural panels as central integrating elements or may employ rail, beam, frame and structural uprights, core or freestanding based elements. Panels (structural), work surfaces, wardrobes, overhead storage cabinets, file pedestals, lateral filing, task management accessories, electrical components, and cable management accessories are all components of systems furniture.

Additionally:

- Product structural components shall have a painted finish (i.e. baked enamel or powder coat).
- Work surfaces shall have a mid-grade high pressure laminate top with a self-edge. Veneer options are stipulated in the text and called out on the pricing sheets.
- Where fabric is called for, contractor shall specify grade 3 or equivalent unless specified otherwise. All finishes proposed should be available for the duration of the project **and have long-term availability.**

C.3.1.1 Specifications

a. Structural Panel

1. The frame must be a minimum of 16-gauge steel including supports, top and bottom rails and must have fully welded junctions free of burrs or irregularities.
2. Panels must be load bearing and capable of being loaded on one side only.
3. The panel system must be capable of continuous dimensional runs as defined in the drawing details. Adequate support must be provided for any given run which may require supplemental support under the work surface. Supplemental supports must not limit knee space for occupants.
4. Overall panel thickness shall be 3" or less.
5. Panels must have off modular capability.
6. Frame width options to include various widths ranging from 18 to 48" wide in 6" increments.
7. Frame heights to range from 30" – 69"H dependent on design
8. Frames and connectors allow for horizontal "lay in" or "fish through" for all wires and cables. Metal wire separation trays must be available.
9. The following accessories must be integrated with the system: tackable panels or tack boards, rail tiles or tool bars, and full range of associated hang on accessories, transaction counters, and magnetic marker boards with attached or magnetic marker board rails.
10. Frames allow for a full range of component mounting heights.
11. Frames to be available in a minimum of three heights, with a stacker frame option.
12. Frames include self-leveling, or single-tool adjustable glides for uneven floors.
13. Frames shall have the ability to be powered and non-powered. Non-powered panels shall have the ability to be field retrofitted with power.
14. Frames must have the ability to accept various tile covers that include:
 - a. Open from the floor to the work surface.
 - b. Open the entire panel frame.
 - c. Stackable.
 - d. Tiled covers to include at least three tiles to cover panels higher than 50".
15. The system must include connectors that provide 2, 3, or 4 way frame connections with full finished end caps.
16. Panel finish options must include acoustical fabric, tackable fabric, painted metal (metallic, magnetic, textured, or smooth finishes), laminate, veneer surfaces, magnetic marker board, translucent materials, and open frame. Please price tackable fabric panels with tackable tiles.

17. All exposed ends and reveals of frames are covered with hard surface finished trim pieces. All hardware included.
18. **Frames need to be tiled.**

b. Technology Power, Data and Communications

1. Each work station will have a minimum of one (1) isolated circuit designated as such and up to three (3) convenience circuits.
2. Power infeed shall be an 8 wire, 4 circuit systems with 4 hot, 2 neutral and 2 grounds.
3. Outlets shall be numbered (coded) with circuit identification. The isolated circuit designator shall be color coded differently than non-isolated circuit receptacles.
4. Receptacles shall be easily added, removed or relocated. Client to provide designation of core electrical and tele/data closets for consistent labeling.
5. Power infeed whips to be a minimum of 6' and capable of being trimmed in the field. Extra-long lengths shall be available if needed.
6. Panel shall be able to house a minimum of 3 cabling raceways with double channeled raceways preferred. Lay-in cabling is preferred for the top of panel with "lay-in" or "fish through" capability internal to the panel. Two should be at the desk top, and two should be at the raceway.
7. Provide power and data access at work surface height. Power outlets and data outlets must be connected to integrated raceways. Provide 2 USB re-charging outlets at work surface height.
8. Provide one (1) Data & Duplex outlet drop at the end of the workstation grouping for desktop printing (if required).
9. Each data drop includes four (4) ports to be provided by others. Contractor to coordinate face plate requirements with technology vendor.
10. Data outlet plate **cut out** shall be provided **for the face plate to attach** to by the furniture manufacturer.
11. Spine must be able to carry a minimum of eight (8) CAT 6 cables with a bending radius of not less than one inch and a minimum of eight (8) coax cables with desk top termination.
12. All vertical and horizontal raceways must be a minimum of 4 square inches and be isolated from power raceways and other wiring.
13. **Power should be in the panels that house overhead cabinets.**
14. **Each station requires 3 duplex receptacles.**
15. **WS-6 requires 1 duplex receptacle, 1 data and 2 usb ports in the table top.**

c. Cable Management

1. Cables and cords must be managed vertically and horizontally and must be held tight to underside of work surfaces so as not to be visible.
2. Wire management solution must provide easy access to cables and cords without special tools. Baskets are acceptable.
3. The solution must accommodate varying locations of desk top equipment to suit individual user preferences.
4. Provide a scallop, grommet or continuous gap at the back edge of the work surface for wire management.

d. Work Surfaces

1. Work surface standard depth requirements to be 24" and 30". If low storage is proposed, depth would adjust to 18-20" accordingly.
2. Lengths shall be available from 24" to 66".
3. All work surfaces over 60" in length shall have a reinforced core so as not to impede users. All proposed vendors to provide cut sheets of how the work surfaces are center supported without impeding users.
4. Work surfaces shall be panel mounted or freestanding.
5. Panel mounted work surfaces should be adjustable in 1" height increments
6. Work surfaces shall be non-handed where possible with all edges eased equally.
7. Undersides of work surfaces shall accept panel-hung and freestanding supports as indicated on drawings and be smooth surfaced.
8. Standard work-surface to have fully finished self-edges on all sides and be sealed against moisture.
9. Work surface shall have a mid-grade high pressure laminate surface with the option of a veneer.

~~10. Provide a sit to stand work surface/desk option.~~

11. Provide a curved corner unit option.

12. WS-6 to have sit to stand surface, electronically height-adjustable/ 66"Wx24"D.

13. WS-6 to include a desk-attached privacy panel above the surface, and a modesty panel below the surface. Both to be 10"-15"H.

e. Workstation Personal Storage

1. Storage pedestals and credenzas:

- a. Mobile, fixed and freestanding storage with box/file, box/box/file or file/file options available.
- b. Include one pencil tray for each pedestal to be located in the top box drawer.
- c. Storage pedestals available in depths to match work surface and shall accommodate both letter and legal hanging files.
- d. Include a file support channel integral to the drawer construction to allow for side to side hanging folders in each file drawer. Minimum 20 gauge steel construction.
- e. All drawers components include full extension glides
- f. All storage units are finished on all sides
- g. All storage shall be locking and keyed alike within an individual station.
- h. The Offeror will indicate whether storage components have the option of veneer fronts.
- i. WKSTN WS-6 to have a 30"W open bookcase under the surface, and a 30"W BF next to it. BF to have a cushion top above, Grade 3 fabric or equivalent.
- j. Laminate w/ PVC or self-edge on all storage.

2. Overhead Cabinets:

- a. Storage unit shall be capable of being wall or panel mounted or other support mechanism.
- b. Cabinets shall have options for swing doors, sliding doors, bookshelf or open configurations.
- c. Door fronts shall be available as painted, laminate or veneer surfaces.
- d. Cabinet storage to be finished on all sides and compatible with other surfaces.

3. General:

- a. All file drawers have full extension.
- b. All file drawers shall accommodate letter or legal filing capabilities. All necessary hanging rails shall be included.
- c. Storage units shall have leveling glides.
- d. All storage units shall be locking and keyed alike per station.
- e. Shelves must be adjustable on 1" increments.
- f. All pulls to be American Disabilities Act (ADA) compliant.
- g. Storage units shall be constructed of a one-piece case for a finished appearance on all sides with no overlapping seams. Construction shall inhibit racking of units when fully loaded.
- h. Storage units shall be constructed with minimum 20 gauge steel with a baked enamel surface, or powder coat paint finish.
- i. Standard task lights should be included.
- j. Veneer and/or laminate option to be available for all component fronts.

f. Accessories:

1. Tackable and/or magnetic covered wipe board panels available.
2. Panel-supported transaction counters available, finishes to match work surfaces with eased edge.
3. Transaction counters should sit on top of the panel and not protrude into the workspace of the workstation.
4. Transaction counters should have an eased edge.
5. Accessory boards or rails match panel widths.
6. Paper management devices available with horizontal, vertical, and diagonal options for desktop and panel mounted applications.
7. Paper management includes a slanted file-holder, pencil cup, in/out box, media holder, phone tray, and other items as offered by manufacturer.
8. Coat hooks that attach to the panel available.

9. ~~Workstation signs that attach to the panel available.~~

g. Keying

1. All locking devices within a given station will be keyed alike.
2. All storage components shall be locking.
3. Identical key numbers shall not be assigned to workstations in close proximity.
4. Provide one key for each lock.
5. All key core should be alike in each station
6. See additional key requirements in Furniture Scope of Work.

C.3.2 ANCILLARY FURNITURE

a. General Information

This section deals with the following furniture and accessories:

- Conference Tables
- Chair Mats
- Storage Units
- Casegoods Desks, Credenzas and Storage Hutches
- Bookcases
- Occasional Tables
- Adjustable Height Work Surfaces
- Task Chairs

b. General Product Description

This section identifies the minimum acceptable levels of product performance for any given item. Offerors should carefully review all documents including the floor plans to determine and verify locations, conditions and quantities of products.

Freestanding casegoods shall be provided in distinct styles including the following but not limited to:

- Traditional style with panels, moldings and other details.
- Transitional style using similar finishes but more modern surface edge profiles and hardware details
- All style casegoods shall provide options for cable management and power.
- All finishes proposed should be available for the duration of the project **and have long-term availability.**

C.3.2.1 Specifications

a. Conference Table

1. The external face of the tables shall be medium grade high pressure laminate with the option of a veneer. Price ~~in both laminate and in~~ veneer **only**. Offer to state if the finish is open or closed pore veneer finish.
2. Table tops shall be available in a variety of edge profiles.
3. Veneers will be natural and available in manufacturer's standard species, colors and finishes.
4. Table bases shall be wood or metal pedestal style, painted or anodized metal finish. Dark bronze or black.

b. Chair Mat

1. Rectangular floor mat 36" x 48" suitable for low to medium pile carpet tile.

c. Casegoods Desk and Casegoods Reception Desk

1. Provide a wood veneer finished, double pedestal panel-end desk. Exposed surfaces to be clad in wood veneer with at least four finish options Provide one pedestal with file/file configuration and one with box/box/file configuration.
2. All drawers shall have ADA compliant pulls.

3. All desk structural connections to be glued hardwood cores with re-enforced joints at the top and panel leg. Medium Density Fiberboard (MDF) or plywood cores are acceptable for panels. Drawer fronts must be a solid wood **or veneer**, but the sides and the bottom may vary in terms of construction and material. Drawer glides to be full extension, ball bearing type glides.
4. Provide key alike locks for desk pedestals.
5. Provide leveling guides for the panel ends and pedestals.
6. Provide an internal wire management system within the desk structure to manage cables from the desk top to the floor.
7. Provide a transaction top for the full span of the reception desk with wood veneer and matching plastic laminate wood grain top as a finish option.
8. Hutches should have a task light and a tack board in a grade 3 fabric or equivalent
9. **Hutches will span the length of the desk and needs to be interchangeable with spanning the desk and return.**
10. **Molding not required on transitional units.**
11. **Modern hardware is acceptable on transitional units.**

d. Bookcases

1. Provide a wood veneer finished enclosed bookcase, 3 and 5 shelf options. Exposed surfaces to be clad in wood veneer **# and offered in** at least four finish options.
2. Shelves to be 1” thick with adequate re-enforced support, spanning the length of the shelf, to prevent deflection.
3. Shelves shall be adjustable
4. All structural connections to be glued hardwood cores with re-enforced joints for the case. MDF or plywood cores are acceptable for panels.

e. Occasional Tables – Coffee height and end table height

1. Provide a wood veneer or laminate top coffee table 42” x 24” x 16-18” high and end table 24” square at **26-28” high standard end table height**. Exposed surfaces to be clad in wood veneer it at least four finish options.
2. Table tops to be a minimum of 1” thick with re-enforced steel support, spanning the length of the top to prevent deflection.
3. Provide a design with panel end and four leg options.
4. All structural connections to be glued hardwood cores with re-enforced joints for the case. MDF or plywood cores are acceptable for panels.
5. Provide transitional **leg and traditional** design options **only**.
6. **Edging detail to be determined.**

f. Task Chairs

1. All Chairs shall be warranted for a minimum of 10 years on all parts including pneumatic cylinders with the exception of seat padding and upholstery which will be warranted for a minimum of 5 years.
2. All products shall be warranted for 24/7 applications. Multi-use applications shall not affect warranty terms and conditions.
3. All products to be tested and warranted for users up to 300 lbs.
4. Foam, glues and adhesives shall be free of Chlorofluorocarbons (CFC’s) and be low Volatile Organic Compounds (VOC’s).

C.4 PERFORMANCE STANDARDS

- a. All testing to be provided by an independent laboratory **or** the manufacturers certified testing facility.
- b. Documented compliance shall be included in the bid proposal.

- c. Product shall meet or exceed all American National Standards Institute (ANSI) and Business Institutional Furniture Manufactures Association (BIFMA) American National Standard for Office Furnishings General Purpose Office Chairs for:
 - Dimensions
 - Ergonomic Guidelines
 - Stability
- d. Upholstery and padding materials shall comply with BIFMA furniture Flammability Standard as well as First Generation Voluntary Upholstered F State of California Technical Information Bulletin 117 (California TB117) and all seating to be labeled in compliance with California TB117.
- e. Fabric to meet requirements of no less than 75,000 double rubs by the ASTM D4157 Wyzenbeek Method (2002).
- f. **There are no weight restrictions on weight activated mechanisms.**

C.4.1 Seat Requirements

- 1. Chair shall have synchronized tilt control and or tilt-tension adjustment.
- 2. Chair shall have tilting capabilities
- 3. Chair shall have a standard pneumatic seat height adjustment with a 4” range of height.
- 4. All control devices shall be within easy reach from a seated position in accordance with ADA standards.
- 5. Chair seat width shall be a minimum of 20”
- 6. Chair should be warranted to hold up to 300lbs.
- 6. Chair seat pan design shall distribute forces evenly over the contact area. Adjustability is preferred.
- 7. Upholstered seat with an option for a either a mesh or upholstered back. For upholstery, must be grade 3 or equivalent.
- 8. All chairs shall have user instructions attached.

C.4.2 Backrest Requirements

- 1. Backrest height to be a minimum of 18” form seat per Human Factors and Ergonomic Society (HFES) requirements.
- 2. Backrest shall have a minimum width of 20” and should not interfere with the user’s movement.
- 3. The chair shall include a tilt tension control the force required to recline.
- 4. The chair shall have an adjustable lumbar support.
- 5. An upright Back-lock shall be available.

C.4.3 Arm Requirements

- 1. Armrest height to be adjustable by user.
- 2. Horizontally adjustable armrests are preferred.

C.4.4 Base and Caster Requirements

- 1. Chairs shall have a metal 5 star base in polished, brushed, or painted finishes.
- 2. Chairs to be available with hard or soft wheel.
- 3. Hard casters shall be double wheeled.

End of Section C

SECTION J -- LIST OF DOCUMENTS, EXHIBITS AND OTHER ATTACHMENTS

J.1 ATTACHMENTS

Attachment No.	Reference in Solicitation	Title	Pages
J.1	Section B	Pricing Sheets	7
J.2	Section B	Typical Suite Pricing	4
J.3	Section C.4	Typical Layouts	8-
J.4	Section D.2 c	Off Site Delivery Instructions	1
J.5	Section H.15	Non-Disclosure Agreement	1
J.6	Section H.22	Employment Eligibility Verification Form	1
J.7	Section K.13	Bailment Agreement	2
J.8	Additional information only	Enlarged Furniture Images	28
J.9	Additional information only	Modular Pieces by Phase. (Cross reference with Attachment J.1, column titled "Tag.")	4

End of Section J

Draft Solicitation	Document No.: OAM M16038S	Document Title: Cannon Renewal Modular Furniture	Page 45
---------------------------	----------------------------------	---	------------------

- Attachment J.6 CAO Contractor Eligibility Verification Form
- American National Standards Institute (ANSI) certification
- Business Institutional Furniture Manufacturers Associations (BIFMA) certification
- Certificates of Insurance

b. File II – Technical Proposal

The technical response is to address the specification C.3.1 through C.4.4. in order, after which should follow your responses to the below three Evaluation Factors. Do not discuss any pricing matters in this section. Do not combine or repeat the data from one section to another, or change the order in which subject items are set forth in these instructions when preparing your proposal.

1. EVALUATION FACTOR #1 - PRODUCT COMPLIANCE & FUNCTIONALITY.

a. The House will consider how the Offeror’s selected products meet the requirements of the solicitation. The contractor shall provide/demonstrate the following:

- (1) Demonstrate that the products and services proposed meet the specification requirements for:
 - a) Commercially available systems and ancillary furniture products (include specification sheets) as outlined in Section C by Subsection title and Attachments 1 & 2. Offerors proposing products that are not on Federal Supply Schedule should provide full specifications for those products and indicate as “open market.”
 - b) Offerors shall provide their own product-specific 8.5” x 11” black and white PDF drawings (plans, elevations, and 3D’s isometries) of their solutions to each workstation typical, as well as documentation that the products meet or exceed the specifications. You should provide color catalog cut sheets to illustrate the product line(s) being offered.
 - c) Provide sample finishes (excluding fabrics) to harmonize with the CHOB building finishes (which will be discussed and shown at the site visit).
- (2) Describe the ease and effort of system furniture re-configurability.
- (3) Describe innovations in your product that separates your product from competitors.
- (4) Provide and describe warranty information offered for all products.
- (5) Identify how you will sustain the proposed product(s) for the duration of project.

2. EVALUATION FACTOR #2 CORPORATE CAPABILITIES / MANAGEMENT APPROACH

This factor considers the firm’s capability to meet the project schedule as well as demonstrating the flexibility, sustainment and ability to improve the product quality throughout the life of the project and beyond while at the same time controlling or reducing costs.

a. Corporate Capability

- (1) Please provide a brief narrative of your company’s history, accomplishments, awards as well as your organizational chart. This is to include the chain of command from the Installation crew to the CEO/President of the organization.
- (2) Provide an overview of your organization’s manufacturing operation and distribution channels.
- (3) Describe your company’s quality assurance methodology.
- (4) Describe your company’s customer service vision.
- (5) Provide an overview of your company’s strategic plan.
- (6) Describe the process that your company uses to formulate new designs and products.
 - (a) Are new / future products engineered to be retrofitted with current products?

b. Management Approach

(1) Provide a milestone schedule with key dates beginning with contract award and proceeding through manufacturing, delivery, and installation. Specifically address your approach in meeting the installation schedule in Section C.3.

(2) Provide the structure, work method, and credentials of your installation team.

a. Include the resumes of your team leads and key personnel. **Show their involvement in other long term, large, furniture installation projects and specifically their involvement in “Evaluation Factor #3”.** Key personnel must include the following:

1. Project Executive - at least 15 years of experience on Federal Government contracting projects. Bachelors and/or Masters, in Engineering, Architecture, Interior Design, Construction Management, or equivalent. PMP preferred. Legislative experience a plus.
2. Project Manager/Senior Designer - at least 10 years of experience on Federal Government contracting projects, to include a Bachelor's degree in Architecture, Interior Design, or equivalent. LEED AP and PMP a plus. Legislative experience a plus. Furniture procurement experience a must.

b. Indicate the staffing mix to be utilized. If subcontractors, provide the name, background, and experience of the firm(s).

(3) Describe the customer service approach that will be utilized for this project.

(4) Provide your Management Plan in narrative format that identifies the approach that will ensure success of this project.

(5) Describe your contingency plan that will ensure no disruption of delivery or installation.

(6) Describe your overall plan in managing and setting up the Pilot Program, as well as your phase out plan.

3. EVALUATION FACTOR #3 EXPERIENCE / PAST PERFORMANCE

a. This factor evaluates the Offeror's relevant experience as well as past performance considering the quality of the Offeror's past performance. The Evaluation Team will consider the Offeror's relevant experience (inclusive of installation and design team), including how recently such experience occurred. Whether a project has “relevant prior experience” is determined by the extent to which prior experience is of similar scope and complexity to the CHOB renewal.

b. Offerors are to identify at a minimum three (3) similar projects preferably with same product as is being proposed or type and of similar size or larger as identified in this solicitation which has been completed in the last five (5) years. It would be preferred if one project was a federal government project completed in Washington, DC.

1. Project data: The offeror shall submit the following data for each project:

- i. Title
- ii. Company / Agency
- iii. Location
- iv. Contact Person (name, address, phone number, email if available)
- v. Description of “scope” of work to include the number of workstations and or systems provided, model name if any.
- vi. Provide the duration and dollar value of the project.

Draft Solicitation	Document No.: OAM M16038S	Document Title: Cannon Renewal Modular Furniture	Page 47
---------------------------	----------------------------------	---	------------------

PHASE II (Pilot Program)

- There may be up to three Alternate Member Suites (reference Attachment 3 Typical Suite A for layout) that will be outfitted with offerors recommended workstations.
- Up to four offerors may be selected for Phase II and will be required to install the following:
 - Workstations – an offer may have to provide up to 6 workstations for the Staff area as well as outfitting the reception area with your proposed product.
 - At the conclusion of Phase II all offerors are responsible to de-assemble and pick up their product.
- Reference Bailment Agreement, Attachment 7.

1. PILOT PROGRAM EVALUATION FACTORS

a. The Evaluation Team will select Offerors who meet the Technical requirements, have agreed to the Bailment Agreement and are within a competitive range for use in the Pilot Program. This is the “test drive” phase of the evaluation.

b. The following areas will be evaluated during the Pilot Phase:

- Customer feedback and overall satisfaction.
- Ergonomics and comfort of modular furniture.
- Product delivered and installed on time.
- Ease and time it takes for installation.
- Functionality and flexibility of product.
- Durability /Quality.
- Ease of reconfiguration and re-assembly.
- ~~Management Approach/Effectiveness of Offeror to respond to and resolve product problems, adjustments, warranty or any other issues that may have arisen in the Pilot stage.~~
 - If there are any issues related to furniture installation, contractor must be on site within 24 hours of notification from the House’s authorized representative who will be later identified.

L.1.2 Final Evaluations

After conclusion of the Pilot Program, the House will conduct final proposal evaluations at which time the House may request best and final offers resulting in a single award.

L.2

SUBMISSIONS

MARCH 2004

- a. Offerors shall submit their entire proposal, **via e-mail to james.tiani@mail.house.gov** in Adobe PDF or Microsoft Word/Excel by **2:00PM ~~June 30, 2016~~ July 15, 2016**. The size of the file shall not exceed 20 Megabytes (MB). **Subject line of email should read (Company Name) and OAM16028S.** Offerors are reminded that late submissions will not be accepted unless the cause of the late receipt is due solely to the House. Revisions to the original proposal will be accepted as long as they are received by the aforementioned due date.
- b. A Pre-proposal Conference and Walk-through of House facilities will be held **June 8, 2016**. Companies are asked to limit participation to no more than three individuals. Please provide your company name and

Draft Solicitation	Document No.: OAM M16038S	Document Title: Cannon Renewal Modular Furniture	Page 49
---------------------------	----------------------------------	---	------------------

Offerors, who include in their proposal data that they do not want disclosed to the public for any purpose or used by the House except for evaluation purposes, shall: (a) mark the title page with the following legend:

“This proposal includes data that shall not be disclosed outside the House and shall not be duplicated, used, or disclosed-- in whole or in part – for any purpose other than to evaluate this proposal. If, however, a contract is awarded as a result of – or in connection with – the submission of this data, the House shall have the right to duplicate, use, or disclose the data, including cost and pricing data, to the extent provided in the resulting contract. This restriction does not limit the House’s right to use information contained in this data if it is obtained from another source without restriction. The data subject to this restriction are contained in sheets numbered [insert number(s)];” and

(b) mark each sheet of data to be restricted with the following legend:

“Use or disclosure of data contained on this sheet is subject to the restriction on the title page of this proposal.”

End of Section L

Attachment J.1. pricing Matrix

Qty Phase 1	Unit Price Phase 1	Tag	Item	Description
PRIVATE OFFICE, RECEPTION DESK & WORKSTATION TYPICALS:				
It is estimated that a total of (514) private office and workstation typicals will be ordered on Phase 1. Breakdown for the quantity of each typical type is not yet available.				
1		PO-1	Double pedestal desk	Min: 30" D Max: 34"D, Min 66"W Max: 68"W x 66", Traditional style with raised molding details, period style hardware
1		PO-2	Single pedestal desk w/ return	Min: 30" D Max: 34"D, Min 66"W Max: 68"W x 66 Return 36" W or 42" W x 24" D. Traditional style with raised molding details, period style hardware
1		PO-1T	Transitional Double pedestal desk	Min: 30" D Max: 34" D Min 66" W Max 68" W Transitional style and details, modern hardware
1		PO-2T	Transitional Single pedestal desk w/ return option	Min: 30" D Max: 34" D Min 66" W Max 68" W Transitional style and details, modern hardware
1		RE-1	Reception station w/ transaction counter	60" x 60" nominal dimensions, Traditional style with raised molding details, period style hardware
1		RE-4	Reception station double pedestal desk	Min: 30" D Max: 34" D Min 66" W Max 68" W Traditional style with raised molding details, period style hardware
1		RE-1T	Reception w/ transaction counter	60" x 60" transitional style
1		WS-1	Curved worksurface w/ sliding door storage	60" x 66", tile/segmented panel based solution

Qty Phase 1	Unit Price Phase 1	Tag	Item	Description
1		WS-5	Intern station	48" - 66" W x 24" D, tile/segmented panel based solution
1		WS-6	Sit-to-Stand Desk with return storage	REVISED: 66"W x 24"D Sit-to-stand desk with 60"W x +/- 20"D open bookcase and box/file combination return storage. Box/file to have cushion top (Grade 3 fabric or equivalent). Laminate surfaces and storage with PVC or self-edge.
ACCESSORIES: For pricing purposes price as single units.				
Quantities for each accessory are TBD, and will be determined during the design phase.				
1		BC-3	3 shelves	Min: 30"W Max 36"W, Traditional Style. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		BC-5	5 shelves	Min: 30"W Max 36"W, Traditional Style. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		HTO	Highback organizer w/ wood doors	Hutch to span length of the desk and return/desk should be interchangeable. Traditional style with period style hardware NOTE: Either a Highback with doors or a Highback bookcase will be specified
1		HTS	Highback organizer w/out doors	Hutch to span length of the desk and return/desk should be interchangeable. Traditional style with period style hardware. NOTE: Either a Highback with doors or a Highback bookcase will be specified
1		T-1A	Conference table	36" D, Traditional style with raised molding details, period style hardware. NOTE: Either a 36" or a 42"Table will be specified
1		T-1B	Conference table	42" D, Traditional style with raised molding details, period style hardware. NOTE: Either a 36" or a 42"Table will be specified
1		T-2	End table	24" x 24"

Qty Phase 1	Unit Price Phase 1	Tag	Item	Description
1		HTO-T	Highback organizer w/ doors	Transitional style and details, modern hardware. Hutch to span length of desk and return/desk to be interchangeable. Design details to include reveals, base and panel inset options. No systems furniture panels. NOTE: Either a HTO or an HTS will be specified
1		HTS-T	Highback organizer w/ out doors	Transitional style and details, modern hardware. Hutch to span length of desk and return/desk to be interchangeable. Design details to include reveals, base and panel inset options. No systems furniture panels.
1		C-1	Task Chair	Chair seat width shall be a minimum of 20". Backrest shall have a minimum width of 20" and should not interfere with the user's movement. Armrest height to be adjustable by user. Chairs shall have a metal 5 star base.
1		BC-5T	Bookcase	Min: 30"W Max 36"W and 5-shelf, Transitional style and details, modern hardware. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		BC-3T	Bookcase	Min: 30"W Max 36"W and 3-shelf, Transitional style and details, modern hardware. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		CM-1	Chair Mat	36" W x 48" chair mat made suitable for low to medium pile carpet.
1		CF-2	Conf.Table Seats 14 (chairs shown for reference)	54" x 144" Transitional Style conference table, panel leg with integrated, internal wire management for power and data, include two table top access, recessed utility box with a hinged door with 2 power outlets and 1 data and 1 AV outlets within, finished flushed with the top of the table.. Power and data utility boxes shall be distributed evenly the length of the table and aligned on the table centerline.
1		CF-3	Conf.Table Seats 16 (chairs shown for reference)	54" x 192" Transitional Style conference table, panel leg with integrated, internal wire management for power and data, include three table top access, recessed utility box with a hinged door with 2 power outlets and 1 data and 1 AV outlets within, finished flushed with the top of the table.. Power and data utility boxes shall be distributed evenly the length of the table and aligned on the table centerline.

NOTES:

- 1.) 1 additional reception and 2 additional workstations in LRC private office
- 2.) Traditional casegoods in Member COS and Reception only, plus Library and Sgt at Arms (no straight modular option). All other private offices and receptions get transitional. No overhead storage at reception. No credenzas.
- 3.) Highback organizers assumed at all PO types. No credenzas.

Qty Phase 2	Unit Price Phase 2	Tag	Item	Description
PRIVATE OFFICE, RECEPTION DESK & WORKSTATION TYPICALS:				
It is estimated that a total of (397) private office and workstation typicals will be ordered on Phase 2. Breakdown for the quantity of each typical type is not yet available.				
1		PO-1	Double pedestal desk	Min: 30" D Max: 34"D, Min 66"W Max: 68"W x 66", Traditional style with raised molding details, period style hardware
1		PO-2	Single pedestal desk w/ return	Min: 30" D Max: 34"D, Min 66"W Max: 68"W x 66 Return 36" W or 42" W x 24" D. Traditional style with raised molding details, period style hardware
1		PO-1T	Transitional Double pedestal desk	Min: 30" D Max: 34" D Min 66" W Max 68" W Transitional style and details, modern hardware
1		PO-2T	Transitional Single pedestal desk w/ return option	Min: 30" D Max: 34" D Min 66" W Max 68" W Transitional style and details, modern hardware
1		RE-1	Reception station w/ transaction counter	60" x 60" nominal dimensions, Traditional style with raised molding details, period style hardware
1		RE-4	Reception station double pedestal desk	Min: 30" D Max: 34" D Min 66" W Max 68" W Traditional style with raised molding details, period style hardware
1		RE-1T	Reception w/ transaction counter	60" x 60" transitional style
1		WS-1	Curved worksurface w/ sliding door storage	60" x 66", tile/segmented panel based solution

Qty Phase 2	Unit Price Phase 2	Tag	Item	Description
1		WS-5	Intern station	48" - 66" W x 24" D, tile/segmented panel based solution
1		WS-6	Sit-to-Stand Desk with return storage	REVISED: 66"W x 24"D Sit-to-stand desk with 60"W x +/- 20"D open bookcase and box/file combination return storage. Box/file to have cushion top (Grade 3 fabric or equivalent). Laminate surfaces and storage with PVC or self-edge.
ACCESSORIES: For pricing purposes price as single units.				
Quantities for each accessory are TBD, and will be determined during the design phase.				
1		BC-3	3 shelves	Min: 30"W Max 36"W, Traditional Style. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		BC-5	5 shelves	Min: 30"W Max 36"W, Traditional Style. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		HTO	Highback organizer w/ wood doors	Hutch to span length of the desk and return/desk should be interchangeable. Traditional style with period style hardware NOTE: Either a Highback with doors or a Highback bookcase will be specified
1		HTS	Highback organizer w/out doors	Hutch to span length of the desk and return/desk should be interchangeable. Traditional style with period style hardware. NOTE: Either a Highback with doors or a Highback bookcase will be specified
1		T-1A	Conference table	36" D, Traditional style with raised molding details, period style hardware. NOTE: Either a 36" or a 42"Table will be specified
1		T-1B	Conference table	42" D, Traditional style with raised molding details, period style hardware. NOTE: Either a 36" or a 42"Table will be specified
1		T-2	End table	24" x 24"

Qty Phase 2	Unit Price Phase 2	Tag	Item	Description
1		HTO-T	Highback organizer w/ doors	Transitional style and details, modern hardware. Hutch to span length of desk and return/desk to be interchangeable. Design details to include reveals, base and panel inset options. No systems furniture panels. NOTE: Either a HTO or an HTS will be specified
1		HTS-T	Highback organizer w/ out doors	Transitional style and details, modern hardware. Hutch to span length of desk and return/desk to be interchangeable. Design details to include reveals, base and panel inset options. No systems furniture panels.
1		C-1	Task Chair	Chair seat width shall be a minimum of 20". Backrest shall have a minimum width of 20" and should not interfere with the user's movement. Armrest height to be adjustable by user. Chairs shall have a metal 5 star base.
1		BC-5T	Bookcase	Min: 30"W Max 36"W and 5-shelf, Transitional style and details, modern hardware. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		BC-3T	Bookcase	Min: 30"W Max 36"W and 3-shelf, Transitional style and details, modern hardware. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		CM-1	Chair Mat	36" W x 48" chair mat made suitable for low to medium pile carpet.
1		CF-2	Conf.Table Seats 14 (chairs shown for reference)	54" x 144" Transitional Style conference table, panel leg with integrated, internal wire management for power and data, include two table top access, recessed utility box with a hinged door with 2 power outlets and 1 data and 1 AV outlets within, finished flushed with the top of the table.. Power and data utility boxes shall be distributed evenly the length of the table and aligned on the table centerline.
1		CF-3	Conf.Table Seats 16 (chairs shown for reference)	54" x 192" Transitional Style conference table, panel leg with integrated, internal wire management for power and data, include three table top access, recessed utility box with a hinged door with 2 power outlets and 1 data and 1 AV outlets within, finished flushed with the top of the table.. Power and data utility boxes shall be distributed evenly the length of the table and aligned on the table centerline.

NOTES:

- 1.) 1 additional reception and 2 additional workstations in LRC private office
- 2.) Traditional casegoods in Member COS and Reception only, plus Library and Sgt at Arms (no straight modular option). All other private offices and receptions get transitional. No overhead storage at reception. No credenzas.
- 3.) Highback organizers assumed at all PO types. No credenzas.

Qty Phase 3	Unit Price Phase 3	Tag	Item	Description
PRIVATE OFFICE & WORKSTATION TYPICALS:				
It is estimated that a total of (533) private office and workstation typicals will be ordered on Phase 3. Breakdown for the quantity of each typical type is not yet available.				
1		PO-1	Double pedestal desk	Min: 30" D Max: 34"D, Min 66"W Max: 68"W x 66", Traditional style with raised molding details, period style hardware
1		PO-2	Single pedestal desk w/ return	Min: 30" D Max: 34"D, Min 66"W Max: 68"W x 66 Return 36" W or 42" W x 24" D. Traditional style with raised molding details, period style hardware
1		PO-1T	Transitional Double pedestal desk	Min: 30" D Max: 34" D Min 66" W Max 68" W Transitional style and details, modern hardware
1		PO-2T	Transitional Single pedestal desk w/ return option	Min: 30" D Max: 34" D Min 66" W Max 68" W Transitional style and details, modern hardware
1		RE-1	Reception station w/ transaction counter	60" x 60" nominal dimensions, Traditional style with raised molding details, period style hardware
1		RE-4	Reception station double pedestal desk	Min: 30" D Max: 34" D Min 66" W Max 68" W Traditional style with raised molding details, period style hardware
1		RE-1T	Reception w/ transaction counter	60" x 60" transitional style
1		WS-1	Curved worksurface w/ sliding door storage	60" x 66", tile/segmented panel based solution

Offer Name _____

PHASE 3
RFP OAM16038S

Attachment J.1 Pricing

GS11P13MKC0022

(rev6-22-2016)

Qty Phase 3	Unit Price Phase 3	Tag	Item	Description
1		WS-5	Intern station	48" - 66" W x 24" D, tile/segmented panel based solution
1		WS-6	Sit-to-Stand Desk with return storage	REVISED: 66"W x 24"D Sit-to-stand desk with 60"W x +/- 20"D open bookcase and box/file combination return storage. Box/file to have cushion top (Grade 3 fabric or equivalent). Laminate surfaces and storage with PVC or self-edge.
ACCESSORIES: For pricing purposes price as single units.				
Quantities for each accessory are TBD, and will be determined during the design phase.				
1		BC-3	3 shelves	Min: 30"W Max 36"W, Traditional Style. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		BC-5	5 shelves	Min: 30"W Max 36"W, Traditional Style. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		HTO	Highback organizer w/ wood doors	Hutch to span length of the desk and return/desk should be interchangeable. Traditional style with period style hardware NOTE: Either a Highback with doors or a Highback bookcase will be specified
1		HTS	Highback organizer w/out doors	Hutch to span length of the desk and return/desk should be interchangeable. Traditional style with period style hardware. NOTE: Either a Highback with doors or a Highback bookcase will be specified
1		T-1A	Conference table	36" D, Traditional style with raised molding details, period style hardware. NOTE: Either a 36" or a 42"Table will be specified
1		T-1B	Conference table	42" D, Traditional style with raised molding details, period style hardware. NOTE: Either a 36" or a 42"Table will be specified
1		T-2	End table	24" x 24"

Offeror is responsible for confirming counts/quantities of all furniture parts and components

Qty Phase 3	Unit Price Phase 3	Tag	Item	Description
1		HTO-T	Highback organizer w/ doors	Transitional style and details, modern hardware. Hutch to span length of desk and return/desk to be interchangeable. Design details to include reveals, base and panel inset options. No systems furniture panels. NOTE: Either a HTO or an HTS will be specified
1		HTS-T	Highback organizer w/ out doors	Transitional style and details, modern hardware. Hutch to span length of desk and return/desk to be interchangeable. Design details to include reveals, base and panel inset options. No systems furniture panels.
1		C-1	Task Chair	Chair seat width shall be a minimum of 20". Backrest shall have a minimum width of 20" and should not interfere with the user's movement. Armrest height to be adjustable by user. Chairs shall have a metal 5 star base.
1		BC-5T	Bookcase	Min: 30"W Max 36"W and 5-shelf, Transitional style and details, modern hardware. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		BC-3T	Bookcase	Min: 30"W Max 36"W and 3-shelf, Transitional style and details, modern hardware. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		CM-1	Chair Mat	36" W x 48" chair mat made suitable for low to medium pile carpet.
1		CF-2	Conf.Table Seats 14 (chairs shown for reference)	54" x 144" Transitional Style conference table, panel leg with integrated, internal wire management for power and data, include two table top access, recessed utility box with a hinged door with 2 power outlets and 1 data and 1 AV outlets within, finished flushed with the top of the table.. Power and data utility boxes shall be distributed evenly the length of the table and aligned on the table centerline.
1		CF-3	Conf.Table Seats 16 (chairs shown for reference)	54" x 192" Transitional Style conference table, panel leg with integrated, internal wire management for power and data, include three table top access, recessed utility box with a hinged door with 2 power outlets and 1 data and 1 AV outlets within, finished flushed with the top of the table.. Power and data utility boxes shall be distributed evenly the length of the table and aligned on the table centerline.

NOTES:

- 1.) 1 additional reception and 2 additional workstations in LRC private office
- 2.) Traditional casegoods in Member COS and Reception only, plus Library and Sgt at Arms (no straight modular option). All other private offices and receptions get transitional. No overhead storage at reception. No credenzas.
- 3.) Highback organizers assumed at all PO types. No credenzas.

Qty Phase 4	Unit Price Phase 4	Tag	Item	Description
PRIVATE OFFICE & WORKSTATION TYPICALS:				
It is estimated that a total of (407) private office and workstation typicals will be ordered on Phase 4. Breakdown for the quantity of each typical type is not yet available.				
1		PO-1	Double pedestal desk	Min: 30" D Max: 34"D, Min 66"W Max: 68"W x 66", Traditional style with raised molding details, period style hardware
1		PO-2	Single pedestal desk w/ return	Min: 30" D Max: 34"D, Min 66"W Max: 68"W x 66 Return 36" W or 42" W x 24" D. Traditional style with raised molding details, period style hardware
1		PO-1T	Transitional Double pedestal desk	Min: 30" D Max: 34" D Min 66" W Max 68" W Transitional style and details, modern hardware
1		PO-2T	Transitional Single pedestal desk w/ return option	Min: 30" D Max: 34" D Min 66" W Max 68" W Transitional style and details, modern hardware
1		RE-1	Reception station w/ transaction counter	60" x 60" nominal dimensions, Traditional style with raised molding details, period style hardware
1		RE-4	Reception station double pedestal desk	Min: 30" D Max: 34" D Min 66" W Max 68" W Traditional style with raised molding details, period style hardware
1		RE-1T	Reception w/ transaction counter	60" x 60" transitional style
1		WS-1	Curved worksurface w/ sliding door storage	60" x 66", tile/segmented panel based solution

Qty Phase 4	Unit Price Phase 4	Tag	Item	Description
1		WS-5	Intern station	48" - 66" W x 24" D, tile/segmented panel based solution
1		WS-6	Sit-to-Stand Desk with return storage	REVISED: 66"W x 24"D Sit-to-stand desk with 60"W x +/- 20"D open bookcase and box/file combination return storage. Box/file to have cushion top (Grade 3 fabric or equivalent). Laminate surfaces and storage with PVC or self-edge.
ACCESSORIES: For pricing purposes price as single units.				
Quantities for each accessory are TBD, and will be determined during the design phase.				
1		BC-3	3 shelves	Min: 30"W Max 36"W, Traditional Style. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		BC-5	5 shelves	Min: 30"W Max 36"W, Traditional Style. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		HTO	Highback organizer w/ wood doors	Hutch to span length of the desk and return/desk should be interchangeable. Traditional style with period style hardware NOTE: Either a Highback with doors or a Highback bookcase will be specified
1		HTS	Highback organizer w/out doors	Hutch to span length of the desk and return/desk should be interchangeable. Traditional style with period style hardware. NOTE: Either a Highback with doors or a Highback bookcase will be specified
1		T-1A	Conference table	36" D, Traditional style with raised molding details, period style hardware. NOTE: Either a 36" or a 42"Table will be specified
1		T-1B	Conference table	42" D, Traditional style with raised molding details, period style hardware. NOTE: Either a 36" or a 42"Table will be specified
1		T-2	End table	24" x 24"

Qty Phase 4	Unit Price Phase 4	Tag	Item	Description
1		HTO-T	Highback organizer w/ doors	Transitional style and details, modern hardware. Hutch to span length of desk and return/desk to be interchangeable. Design details to include reveals, base and panel inset options. No systems furniture panels. NOTE: Either a HTO or an HTS will be specified
1		HTS-T	Highback organizer w/ out doors	Transitional style and details, modern hardware. Hutch to span length of desk and return/desk to be interchangeable. Design details to include reveals, base and panel inset options. No systems furniture panels.
1		C-1	Task Chair	Chair seat width shall be a minimum of 20". Backrest shall have a minimum width of 20" and should not interfere with the user's movement. Armrest height to be adjustable by user. Chairs shall have a metal 5 star base.
1		BC-5T	Bookcase	Min: 30"W Max 36"W and 5-shelf, Transitional style and details, modern hardware. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		BC-3T	Bookcase	Min: 30"W Max 36"W and 3-shelf, Transitional style and details, modern hardware. NOTE: Either a 3 Shelf or 5 Shelf will be specified
1		CM-1	Chair Mat	36" W x 48" chair mat made suitable for low to medium pile carpet.
1		CF-2	Conf.Table Seats 14 (chairs shown for reference)	54" x 144" Transitional Style conference table, panel leg with integrated, internal wire management for power and data, include two table top access, recessed utility box with a hinged door with 2 power outlets and 1 data and 1 AV outlets within, finished flushed with the top of the table.. Power and data utility boxes shall be distributed evenly the length of the table and aligned on the table centerline.
1		CF-3	Conf.Table Seats 16 (chairs shown for reference)	54" x 192" Transitional Style conference table, panel leg with integrated, internal wire management for power and data, include three table top access, recessed utility box with a hinged door with 2 power outlets and 1 data and 1 AV outlets within, finished flushed with the top of the table.. Power and data utility boxes shall be distributed evenly the length of the table and aligned on the table centerline.

NOTES:

- 1.) 1 additional reception and 2 additional workstations in LRC private office
- 2.) Traditional casegoods in Member COS and Reception only, plus Library and Sgt at Arms (no straight modular option). All other private offices and receptions get transitional. No overhead storage at reception. No credenzas.
- 3.) Highback organizers assumed at all PO types. No credenzas.

RFP OAM16038S

ALL PHASES

Phase 1 Cost (from tab)	Phase 2 Cost (from tab)	Phase 3 Cost (from tab)	Phase 4 Cost (from tab)	Tag	Item	Description
PRIVATE OFFICE & WORKSTATION TYPICALS:						
Breakdown for the quantity of each typical type is not yet						
				PO-1	Double pedestal desk	Min: 30" D Max: 34"D, Min 66"W Max: 68"W x 66", Traditional style with raised molding details, period style hardware
				PO-2	Single pedestal desk w/ return	Min: 30" D Max: 34"D, Min 66"W Max: 68"W x 66 Return 36" W or 42" W x 24" D. Traditional style with raised molding details, period style hardware
				PO-1T	Transitional Double pedestal desk	Min: 30" D Max: 34" D Min 66" W Max 68" W Transitional style and details, modern hardware
				PO-2T	Transitional Single pedestal desk w/ return option	Min: 30" D Max: 34" D Min 66" W Max 68" W Transitional style and details, modern hardware
				RE-1	Reception station w/ transaction counter	60" x 60" nominal dimensions, Traditional style with raised molding details, period style hardware
				RE-4	Reception station double pedestal desk	Min: 30" D Max: 34" D Min 66" W Max 68" W Traditional style with raised molding details, period style hardware
				RE-1T	Reception w/ transaction counter	60" x 60" transitional style
				WS-1	Curved worksurface w/ sliding door storage	60" x 66", tile/segmented panel based solution
				WS-5	Intern station	48" - 66" W x 24" D, tile/segmented panel based solution
				WS-6	Sit-to-Stand Desk with return storage	REVISED: 66"W x 24"D Sit-to-stand desk with 60"W x +/- 20"D open bookcase and box/file combination return storage. Box/file to have cushion top (Grade 3 fabric or equivalent). Laminate surfaces and storage with PVC or self-edge.
ACCESSORIES: For pricing purposes price as single units.						
Quantities for each accessory are TBD, and will be determined						
				BC-3	3 Shelves	Min: 30"W Max 36"W, Traditional Style. NOTE: Either a 3 Shelf or 5 Shelf will be specified for a total of 31 BC's in Phase 1

RFP OAM16038S

ALL PHASES

Phase 1 Cost (from tab)	Phase 2 Cost (from tab)	Phase 3 Cost (from tab)	Phase 4 Cost (from tab)	Tag	Item	Description
				BC-5	5 shelves	Min: 30"W Max 36"W, Traditional Style. NOTE: Either a 3 Shelf or 5 Shelf will be specified for a total of 31 BC's in Phase 1
				HTO	Highback organizer w/ wood doors	Hutch to span length of the desk and return/desk should be interchangeable. Traditional style with period style hardware NOTE: Either a Highback with doors or a Highback bookcase will be specified for a total of 62 HTOs in Phase 1
				HTS	Highback organizer w/out doors	Hutch to span length of the desk and return/desk should be interchangeable. Traditional style with period style hardware. NOTE: Either a Highback with doors or a Highback bookcase will be specified for a total of 62 HTOs in Phase 1
				T-1A	Conference table	36" D, Traditional style with raised molding details, period style hardware. NOTE: Either a 36" or a 42"Table will be specified for a total of 31 Tables in Phase 1
				T-1B	Conference table	42" D, Traditional style with raised molding details, period style hardware. NOTE: Either a 36" or a 42"Table will be specified for a total of 31 Tables in Phase 1
				T-2	End table	24" x 24"
				HTO-T	Highback organizer w/ doors	60"W x 24"D Sit-to-stand desk
				HTS-T	Highback organizer w/ open shelves	Transitional style and details, modern hardware. Hutch to span length of desk and return/desk to be interchangeable. Design details to include reveals, base and panel inset options. No systems furniture panels.
				C-1	Task Chair	Chair seat width shall be a minimum of 20". Backrest shall have a minimum width of 20" and should not interfere with the user's movement. Armrest height to be adjustable by user. Chairs shall have a metal 5 star base.
				BC-5T	Bookcase	Min: 30"W Max 36"W and 5-shelf, Transitional style and details, modern hardware. NOTE: Either a 3 Shelf or 5 Shelf will be specified for a total of 20 BC's in Phase 1
				BC-3T	3 Shelf Bookcase	Min: 30"W Max 36"W and 3-shelf, Transitional style and details, modern hardware. NOTE: Either a 3 Shelf or 5 Shelf will be specified for a total of 20 BC's in Phase 1
				CM-1	Chair Mat	36" W x 48" chair mat made suitable for low to medium pile carpet.

RFP OAM16038S

ALL PHASES

Phase 1 Cost (from tab)	Phase 2 Cost (from tab)	Phase 3 Cost (from tab)	Phase 4 Cost (from tab)	Tag	Item	Description
				CF-2	Conf.Table Seats 14 (chairs shown for reference)	54" x 144" Transitional Style conference table, panel leg with integrated, internal wire management for power and data, include two table top access, recessed utility box with a hinged door with 2 power outlets and 1 data and 1 AV outlets within, finished flushed with the top of the table.. Power and data utility boxes shall be distributed evenly the length of the table and aligned on the table centerline.
				CF-3	Conf.Table Seats 16 (chairs shown for reference)	54" x 192" Transitional Style conference table, panel leg with integrated, internal wire management for power and data, include three table top access, recessed utility box with a hinged door with 2 power outlets and 1 data and 1 AV outlets within, finished flushed with the top of the table.. Power and data utility boxes shall be distributed evenly the length of the table and aligned on the table centerline.
NOTES:						
1.) 1 additional reception and 2 additional workstations in LRC private office						
2.) Traditional casegoods in Member COS and Reception only, plus Library and Sgt at Arms (no straight modular option). All other private offices and receptions get transitional. No overhead storage at reception. No credenzas.						
3.) Highback organizers assumed at all PO types. No credenzas.						






Option 1 Pricing	Option 2 Pricing	Tag	Item	Description
PRIVATE OFFICE & WORKSTATION TYPICALS:				
Breakdown for the quantity of each typical type is not yet available.				
		PO-1	Double pedestal desk	Min: 30" D Max: 34"D, Min 66"W Max: 68"W x 66", Traditional style with raised molding details, period style hardware
		PO-2	Single pedestal desk w/ return	Min: 30" D Max: 34"D, Min 66"W Max: 68"W x 66 Return 36" W or 42" W x 24" D. Traditional style with raised molding details, period style hardware
		PO-1T	Transitional Double pedestal desk	Min: 30" D Max: 34" D Min 66" W Max 68" W Transitional style with raised molding details, period style hardware
		PO-2T	Transitional Single pedestal desk w/ return option	Min: 30" D Max: 34" D Min 66" W Max 68" W Transitional style with raised molding details, period style hardware
		WS-1	Curved worksurface w/ sliding door storage	60" x 66", tile/segmented panel based solution
		WS-5	Intern station	48" - 66" W x 24" D, tile/segmented panel based solution
		WS-6	Sit-to-Stand Desk with return storage	REVISED: 66"W x 24"D Sit-to-stand desk with 60"W x +/- 20"D open bookcase and box/file combination return storage. Box/file to have cushion top (Grade 3 fabric or equivalent). Laminate surfaces and storage with PVC or self-edge.
ACCESSORIES: For pricing purposes price as single units.				
Quantities for each accessory are TBD, and will be determined during the design phase.				
		BC-3	3 shelves	Min: 30"W Max 36"W and 3 shelves, Traditional Style. NOTE: Either a 3 Shelf or 5 Shelf will be specified

Option 1 Pricing	Option 2 Pricing	Tag	Item	Description
		BC-5	5 shelves	Min: 30"W Max 36"W and 5 shelves, Traditional Style. NOTE: Either a 3 Shelf or 5 Shelf will be specified
		HTO	Highback organizer w/ wood doors	Hutch to span length of the desk and return/desk should be interchangeable. Traditional style with period style hardware NOTE: Either a Highback with doors or a Highback bookcase will be specified
		HTS	Highback organizer w/out doors	Hutch to span length of the desk and return/desk should be interchangeable. Traditional style with period style hardware. NOTE: Either a Highback with doors or a Highback bookcase will be specified
		T-1A	Conference table	36" D, Traditional style with raised molding details, period style hardware. NOTE: Either a 36" or a 42"Table will be specified for a total of 31 Tables in Phase 1
		T-1B	Conference table	42" D, Traditional style with raised molding details, period style hardware. NOTE: Either a 36" or a 42"Table will be specified for a total of 31 Tables in Phase 1
		RE-1	Reception station w/ transaction counter	60" x 60" nominal dimensions, Traditional style with raised molding details, period style hardware
		RE-4	Reception station double pedestal desk	Min: 30" D Max: 34" D Min 66" W Max 68" W Traditional style with raised molding details, period style hardware
		T-2	End table	24" x 24"
		RE-1T	Reception w/ transaction counter	60" x 60", Transitional style and details, modern style hardware. Design details to include reveals, base and panel inset options. No systems furniture panels.


Option 1 Pricing	Option 2 Pricing	Tag	Item	Description
		HTO-T	Highback organizer w/ doors	Transitional style and details, modern style hardware. Hutch to span length of desk and return/desk to be interchangeable. Design details to include reveals, base and panel inset options. No systems furniture panels. NOTE: Either a HTO or an HTS will be specified
		HTS-T	Highback organizer w/ open shelves	Transitional style and details, modern style hardware. Hutch to span length of desk and return/desk to be interchangeable. Design details to include reveals, base and panel inset options. No systems furniture panels. NOTE: Either a HTO or an HTS will be specified
		C-1	Task Chair	Chair seat width shall be a minimum of 20". Backrest shall have a minimum width of 20" and should not interfere with the user's movement. Armrest height to be adjustable by user. Chairs shall have a metal 5 star base.
		BC-5T	Bookcase	30" W/36"W and 5-shelf. Transitional style and details, modern style hardware. NOTE: Either a 3 Shelf or 5 Shelf will be specified
		BC-3T	Bookcase	Min: 30"W Max 36"W, Transitional Style, we should have two size options for the bookcases. NOTE: Either a 3 Shelf or 5 Shelf will be specified
		CM-1	Chair Mat	36" W x 48" chair mat made suitable for low to medium pile carpet.
		CF-2	Conf.Table Seats 14 (chairs shown for reference)	54" x 144" Transitional Style conference table, panel leg with integrated, internal wire management for power and data, include two table top access, recessed utility box with a hinged door with 2 power outlets and 1 data and 1 AV outlets within, finished flushed with the top of the table.. Power and data utility boxes shall be distributed evenly the length of the table and aligned on the table centerline.
		CF-3	Conf.Table Seats 16 (chairs shown for reference)	54" x 192" Transitional Style conference table, panel leg with integrated, internal wire management for power and data, include three table top access, recessed utility box with a hinged door with 2 power outlets and 1 data and 1 AV outlets within, finished flushed with the top of the table.. Power and data utility boxes shall be distributed evenly the length of the table and aligned on the table centerline.

Attachment J.1.A. Traditional Items & Workstations

Transitional Items Workstations

Image	Tag
TRANSITIONAL ITEMS/WORKSTATIONS	
PRIVATE OFFICE, RECEPTION DESK & WORKSTATION TYPICALS:	
	PO-1T
	PO-2T
	RE-1T
	WS-1
	WS-5
	WS-6
ACCESSORIES:	

Transitional Items Workstations



Image	Tag
	T2
	HTO-T
	HTS-T
	C-1
	BC-5T
	BC-3T
	CM-1

Offer Name _____

Attachment J.1A
RFP OAM16038S

GS11P13MKC0022

Transitional Items Workstations

Image	Tag
	CF-2
	CF-3

Offeror is responsible for confirming counts/quantities of all furniture parts components